CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date UL-CA-L206847-5113-32702102-1 E206847-20120723 22-Mar-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
R38, followed by blank or S, followed by one character,	Temperature-Indicating and -Regulating
followed by F or L or H, followed by F or A or T, followed	Equipment
by R or O or -, followed by – or R or O, followed by B or -	
, followed by E or N or -, followed by B or - or any	
character, maybe followed up to seven characters.	
Y39, followed by blank or S, followed by one character,	Temperature-Indicating and -Regulating
followed by H or G or F, followed by R or -, followed by R	Equipment
or -, followed by R or -, followed by B or -, followed by E	
or N or -, followed by B or - or any character, maybe	
followed up to seven characters.	<u>ΊΛΥΙΛΥΙΛΥΙΛΥΙΛ</u>
Z31, followed by blank or S, followed by one character,	Temperature-Indicating and -Regulating
followed by H or G or F, followed by R or S or O or -,	Equipment
followed by R or -, followed by B or -, followed by E or N	
or -, followed by B or - or any character, maybe followed	
up to seven characters.	

Barkell

Bruce Mahrenholz, Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at hilp://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date	UL-US-L206847-2113-32702102-1 E206847-20120723 22-Mar-2021
Issued to:	ASCON TECNOLOGIC SRL Via Indipendenza 56 Vigevano , Pv, Italy 27029
This is to certify that epresentative samples of	XAPX2 - Temperature-indicating and -Regulating Equipment - Component
	See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.
Standard(s) for Safety:	UL 60730-1 - 4th Ed - Issued 19 Oct 2009 - Revised 21 May 2014, UL 60730-2-9, 4th Ed., Issue Date: 2017-02-14, Revision Date: 2020-06-18
Additional Information:	See the UL Online Certifications Directory at hips://ig.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bamely

Bruce Mahrenholz, Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at hilp://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date UL-US-L206847-2113-32702102-1 E206847-20120723 22-Mar-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
R38, followed by blank or S, followed by one character,	Temperature-Indicating and -Regulating
followed by F or L or H, followed by F or A or T, followed	Equipment
by R or O or -, followed by – or R or O, followed by B or -	
, followed by E or N or -, followed by B or - or any	
character, maybe followed up to seven characters.	
Y39, followed by blank or S, followed by one character,	Temperature-Indicating and -Regulating
followed by H or G or F, followed by R or -, followed by R	Equipment
or -, followed by R or -, followed by B or -, followed by E	
or N or -, followed by B or - or any character, maybe	
followed up to seven characters.	<u>ΊΛΥΙΛΥΙΛΥΙΛΥΙΛ</u>
Z31, followed by blank or S, followed by one character,	Temperature-Indicating and -Regulating
followed by H or G or F, followed by R or S or O or -,	Equipment
followed by R or -, followed by B or -, followed by E or N	
or -, followed by B or - or any character, maybe followed	
up to seven characters.	

Barkell

Bruce Mahrenholz, Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at hilp://ul.com/aboutul/locations/

